

## *Model 962 Wired / 963 Wireless*

### Features:

-Plastic Housing (ASA Resin)

-Halogen H3 Base.



-Dual speed control for beam movement.



-Multi-Optional Control Devices

\*Handheld Wired & Wireless Dual Control

\*Dash-mount Wired Control

\*Wired & Wireless Dual Toggle Control Panel


\*Single Wired Toggle Control Panel

\*Dash-mount Remote Control Panel









(Extra option for Dual control mode)






-Permanent Mount

-DC12V or 24V




**Model 962/963 Specifications:**



<b>Construction</b>	<b>Plastic Housing (ASA Resin)</b>
	<b>Fully Up &amp; Down 120 Degree / Left &amp; Right 440 Degree</b>
	
	<b>Shape : Square</b>
	<b>Color : White/ Black</b>
	<b>Weather Resistance</b>
<b>Control Device</b>	<b>Mount type : Permanent</b> <b>None Magnetic Bottom</b>
	
	<b>Weight : 2.1Kgs / 4.6 lbs</b>
	 <b>Handheld Wired &amp; Wireless Dual Control</b> 
 <b>Dash-mount Wired Control</b> 	
 <b>Wired &amp; Wireless Dual Toggle Control Panel</b> 	

	<p> <b>Wired Toggle Control Panel</b></p>  <p> <b>Dash-mount Remote Control Panel</b> <b>(Extra option for Dual control mode )</b></p> 
<p><b>Light</b></p>	<p><b>Halogen H3 Base</b> <b>12V 55W / 24V 70W</b> <b>Color temperature : 3,000K</b> <b>Beam Pattern : Spot</b></p>
<p><b>Dimension</b></p>	<p><b>Unit: mm</b></p> 

**Wired Control Models**



**Wired and Wireless Dual Control Models**



<b>Power</b>	
<b>Certificate</b>	CE / FCC
<b>Packing</b>	4pcs/carton G.W.: 12Kgs Measurement: 46x32x46cm

Model 963 Wireless Series Item Code



		SL96311-ABP-12V-SS			SL96311-AWP-12V-SS
		SL96341-CBP-12V-SS			SL96341-CWP-12V-SS
		SL96311-ABP-24V-SS			SL96311-AWP-24V-SS
		SL96341-CBP-24V-SS			SL96341-CWP-24V-SS

Model 962 Wired Series Item Code					
 <b>Handheld Wired &amp; Wireless Dual Control</b>					
					
		SL96231-CBP-12V-SS			SL96231-CWP-12V-SS
		SL96261-CBP-12V-SS			SL96261-CWP-12V-SS
		SL96231-CBP-24V-SS			SL96231-CWP-24V-SS
		SL96261-CBP-24V-SS			SL96261-CWP-24V-SS
 <b>Dash-mount Wired Control</b>					
					
		SL96221-CBP-12V-SS			SL96221-CWP-12V-SS
		SL96251-CBP-12V-SS			SL96251-CWP-12V-SS
		SL96221-CBP-24V-SS			SL96221-CWP-24V-SS
		SL96251-CBP-24V-SS			SL96251-CWP-24V-SS

Item Code					
 <b>Wired &amp; Wireless Dual Toggle Control Panel</b>					
					
		SL96231-CBPT-12V-SS			SL96231-CWPT-12V-SS
		SL96261-CBPT-12V-SS			SL96261-CWPT-12V-SS
		SL96231-CBPT-24V-SS			SL96231-CWPT-24V-SS
		SL96261-CBPT-24V-SS			SL96261-CWPT-24V-SS
 <b>Wired Toggle Control Panel</b>					
					
		SL96221-CBPT-12V-SS			SL96221-CWPT-12V-SS
		SL96251-CBPT-12V-SS			SL96251-CWPT-12V-SS
		SL96221-CBPT-24V-SS			SL96221-CWPT-24V-SS
		SL96251-CBPT-24V-SS			SL96251-CWPT-24V-SS